

Condition Specific Medical Advice Form

for a student with Diabetes

This form is to be completed by the student's medical/health practitioner providing a description of the health condition and first aid requirements for a student with a health condition. This form will assist the school in developing a Student Health Support Plan which outlines how the school will support the student's health care needs.

Name of School: _____

Student's Name: _____ Date of Birth: _____

MedicAlert Number(if relevant): _____ Review date for this form: _____

Description of the condition	Recommended support
Diabetes Management Please provide relevant details in relation to the student's Diabetes management.	Please describe recommended care If additional advice is required, please attach it to this medical advice form
Student self management Is this student usually able to self manage their own diabetes care? <input type="checkbox"/> Yes <input type="checkbox"/> No If no, please provide details in relation to how the school should support the student in developing self-management.	
Relevant issues Please outline any relevant issues in relation to attendance at school and learning as well as support required at school.	
First Aid – Signs of Hypoglycaemia (low blood glucose) Below is a list of observable signs that school staff will look for in relation to a hypoglycaemia. Please provide comment, if required. Mild signs: sweating, paleness, trembling, hunger, weakness, changes in mood and behaviour (e.g. crying, argumentative outbursts, aggressiveness), inability to think clearly, lack of coordination Moderate signs: inability to help oneself, glazed expression, being disorientated, unaware or seemingly intoxicated, inability to drink and swallow without much	

<p>Description of the condition</p> <p>encouragement, headache, abdominal pain or nausea.</p> <p>Severe signs: inability to stand, inability to respond to instructions, extreme disorientation, inability to drink and swallow (leading to danger of inhaling food into lungs), unconsciousness or seizures (jerking or twitching of face, body or limbs)</p>	<p>Recommended support</p> <p>Please describe recommended care</p> <p>If additional advice is required, please attach it to this medical advice form</p>
--	---

First Aid – Hypoglycaemia
 The following is the **first aid response that School staff will follow:**

Observable sign/reaction

Mild / Moderate Hypoglycaemia signs



Mild / Moderate Hypoglycaemia signs



Severe Hypoglycaemia signs



Severe Hypoglycaemia signs

First aid response

Give glucose immediately to raise blood glucose (e.g. half a can of 'normal' soft drink or fruit drink (with sugar), or 5 – 6 jelly beans.)

Wait and monitor for 5 minutes.

▽

If there is no improvement, repeat giving glucose (e.g. half a can of 'normal' soft drink or fruit drink (with sugar), or 5 – 6 jelly beans.)

If the student's condition improves, follow up with a snack of one piece of fruit, a slice of bread or dried biscuits only when recovered.

▽

If there is still no improvement to the student's condition, call an ambulance. State clearly that the person has diabetes, and whether he or she is conscious. Inform emergency contacts.

▽

If unconscious, maintain **Airway, Breathing and Circulation** while waiting for the ambulance.

Never put food/drink in mouth of person who is unconscious or convulsing. The only treatment is an injection of glucoses into the vein (given by doctor/paramedic) or an injection of Glucagon.

First Aid– Hypoglycaemia

If you anticipate the student will require anything other the first aid response noted above, please provide details, so special arrangement can be negotiated.

Observable sign/reaction	First aid response
▽	▽
▽	▽
▽	▽
▽	▽

Description of the condition	Recommended support
<p>First Aid – Signs of Hyperglycaemia (High blood glucose)</p> <p>Below is a list of observable signs that school staff will look for in relation to Hyperglycaemia. Please provide comment, if required.</p> <p>Sings for this condition will emerge over two or three days and can include:</p> <ul style="list-style-type: none"> • frequent urination • excessive thirst • weight loss • lethargy • change in behavior 	<p>Please describe recommended care</p> <p>If additional advice is required, please attach it to this medical advice form</p>
First Aid Response– Hyperglycaemia (High blood glucose)	

Description of the condition	Recommended support
<p>The school will provide a standard first aid response and will call an ambulance if any of the following is observed or reported:</p> <ul style="list-style-type: none"> • Rapid, laboured breathing • Flushed cheeks • Abdominal pains • Sweet acetone smell to the breath • Vomiting • Severe dehydration. <p>Please provide comment, if required.</p> <p>Privacy Statement</p>	<p>Please describe recommended care</p> <p>If additional advice is required, please attach it to this medical advice form</p>

The school collects personal information so as the school can plan and support the health care needs of the student. Without the provision of this information the quality of the health support provided may be affected. The information may be disclosed to relevant school staff and appropriate medical personnel, including those engaged in providing health support as well as emergency personnel, where appropriate, or where authorised or required by another law. You are able to request access to the personal information that we hold about you/your child and to request that it be corrected. Please contact the school directly or FOI Unit on 96372670.

<u>Authorisation:</u>
Name of Medical/health practitioner:
Professional Role:
Signature:
Date:
Contact details:

Name of Parent/Carer or adult/independent student**:
Signature:
Date:

If additional advice is required, please attach it to this form

**Please note: Adult student is a student who is eighteen years of age and older. Independent student is a student under the age of eighteen years and living separately and independently from parents/guardians (See Victorian Government Schools Reference Guide 4.6.14.5).

Condition Specific Medical Advice Form

for a student with Epilepsy and seizures

This form is to be completed by the student's medical/health practitioner providing a description of the health condition and first aid requirements for a student with a health condition. This form will assist the school in developing a Student Health Support Plan which outlines how the school will support the student's health care needs.

Name of School: _____

Student's Name: _____ Date of Birth: _____

MedicAlert Number(if relevant): _____ Review date for this form: _____

Description of the condition	Recommended support
Warning Signs	Please describe recommended care If additional advice is required, please attach it to this medical advice form
Can you please outline the warning signs (e.g. sensations)	
Triggers	
Can you please outline the known triggers (eg illness, elevated temperature, flashing lights)	
Seizure Types	
Please highlight which seizure types apply:	Please indicate typical seizure frequency and length, and any management that is a variation from standard seizure management.
<input type="checkbox"/> Partial (focal) seizures Which side of the brain is affected? _____	
<input type="checkbox"/> Simple partial <input type="checkbox"/> Staring, may blink rapidly <input type="checkbox"/> Only part of the brain is involved (partial) <input type="checkbox"/> Person remains conscious (simple), able to hear, may or may not be able to speak <input type="checkbox"/> Jerking of parts of the body may occur <input type="checkbox"/> Rapid recovery <input type="checkbox"/> Person may have a headache or experience sensations that aren't real, such as sounds, flashing light, strange taste or smell, 'funny tummy' These are sometimes called an aura and may lead to other types of seizures.	
<input type="checkbox"/> Complex partial <input type="checkbox"/> Only part of the brain is involved (partial) <input type="checkbox"/> Person staring and unaware. Eyes may jerk but may talk, remain sitting or walk around <input type="checkbox"/> Toward the end of the seizure, person may perform unusual activities, eg chewing movement, fiddling with clothes (these are called automatisms) <input type="checkbox"/> Confused and drowsy after seizure settles, may sleep.	
<input type="checkbox"/> Generalised seizures <input type="checkbox"/> Tonic clonic <input type="checkbox"/> Not responsive <input type="checkbox"/> May be red or blue in the face	

Description of the condition	Recommended support Please describe recommended care If additional advice is required, please attach it to this medical advice form
<input type="checkbox"/> Might fall down/cry out <input type="checkbox"/> Body becomes stiff (tonic) <input type="checkbox"/> Jerking of arms and legs occurs (clonic) <input type="checkbox"/> Excessive saliva <input type="checkbox"/> Absence <input type="checkbox"/> Vacant stare or eyes may blink/roll up <input type="checkbox"/> Lasts 5-10 seconds <input type="checkbox"/> Impaired awareness (may be seated) <input type="checkbox"/> Instant recovery, no memory of the event. <input type="checkbox"/> Myoclonic <input type="checkbox"/> Sudden simple jerk <input type="checkbox"/> May recur many times. <input type="checkbox"/> May lose control of bladder and/or bowel <input type="checkbox"/> Tongue may be bitten <input type="checkbox"/> Lasts 1-3 minutes, stops suddenly or gradually <input type="checkbox"/> Confusion and deep sleep (maybe hours) when in recovery phase. May have a headache.	
Duration How long does recovery take if the seizure isn't long enough to require Midazolam?	
Person's reaction during and after a seizure Please comment	
Any other recommendations to support the person during and after a seizure	
Signs that the seizure is starting to settle	

First Aid - Management of Seizures

The following is the **first aid response** that School staff will follow:

	"Major Seizures"	"Minor Seizures"
	Convulsive seizures with major movement manifestations eg: tonic-clonic, tonic, myoclonic, atonic, and partial motor seizure	Seizures with staring, impaired consciousness or unusual behaviour e.g. complex partial seizures and absence seizures
1	Stay calm	Stay calm
2	Check for medical identification	Check for medical identification
3	Protect the person from injury by removing harmful objects close to them. Loosen any tight clothing or restraints. Place something soft under their head.	Protect the person from injury by removing harmful objects close to them
4	Stay with the person and reassure them. Do not put anything in their mouth and do not restrain them.	Stay with the person and reassure them
5	Time the seizure	Time the seizure
6	When the seizure is over, roll the person onto their side to keep their airway clear	If a tonic-clonic seizure develops, follow major seizure management
7	Treat any injuries	Stay with the person and reassure them, they may be sleepy, confused or combative after the seizure
8	Consider if an ambulance needs to be called. An ambulance should be called when: <ul style="list-style-type: none"> • The seizure lasts longer than 5 -10 minutes. • Another seizure quickly follows • The person remains unconscious after the seizures ceases • The person has been injured • You are about to administer diazepam or midazolam • You are unsure • The seizure happens in water • The person is pregnant or a diabetic • The person is not known to have epilepsy. 	
9	Stay with the person and reassure them, they may be sleepy, confused or combative after the seizure	

First Aid - Management of Seizures

If you anticipate the student will require anything other the first aid response noted above, please provide details, so special arrangement can be negotiated.

Observable sign/reaction



First aid response



Privacy Statement

The school collects personal information so as the school can plan and support the health care needs of the student. Without the provision of this information the quality of the health support provided may be affected. The information may be disclosed to relevant school staff and appropriate medical personnel, including those engaged in providing health support as well as emergency personnel, where appropriate, or where authorised or required by another law. You are able to request access to the personal information that we hold about you/your child and to request that it be corrected. Please contact the school directly or FOI Unit on 96372670.

Authorisation:

Name of Medical/health practitioner:

Professional Role:

Signature:

Date:

Contact details:

Name of Parent/Carer or adult/independent student:**

Signature:

Date:

If additional advice is required, please attach it to this form

**Please note: Adult student is a student who is eighteen years of age and older. Independent student is a student under the age of eighteen years and living separately and independently from parents/guardians (See Victorian Government Schools Reference Guide 4.6.14.5)